



26 Oct. 2021



LAUMA5[®] Innovation in Weighing

WHO WE ARE

LAUMAS-US: STOCKING PARTNER FOR NORTH AMERICA






















AREA MANAGER AND TEAM

Over 20 years of experience in the industrial weighing sector

VESSEL WEIGHING

BATCHING SYSTEMS

2

3

4

CRANE WEIGHING

OVERLOAD PROTECTION

FORCE MEASUREMENT APPLICATIONS

STRENGTHS

X





- ASSEMBLE PRECONFIGURED TANK
 WEIGHING AND BATCHING SYSTEMS
- THEORETICAL CALIBRATIONS
- CUSTOM LOAD CELLS AND ELECTRONICS
- IN-HOUSE PLC AND HMI
 PROGRAMMING



- PRE-SALES ASSISTANCE
- AFTER-SALES TECHNICAL SUPPORT



WAREHOUSE LOCATED IN PENNSYLVANIA

LEAD TIME REDUCTION

www.laumas-us.com





SINGLE-POINT LOAD CELLS



ALL 3 kg ÷ 50 kg



AZL 10 kg ÷ 100 kg





AZLI 10 kg ÷ 500 kg

AM 60 kg ÷ 300 kg

BENDING & SHEAR BEAM LOAD CELLS



FCOL 20 kg ÷ 500 kg FTKL

500 kg ÷ 5000 kg

TENSION LOAD CELLS



SL 25 kg ÷ 2500 kg

WEIGHT TRANSMITTER

TLB

SERIES

WEIGHT INDICATORS





W100

134212



WLIGHT

Start Frank



WTAB G/2G

WTAB L/R

WEIGHT INDICATORS - WEIGHING AND BATCHING



W200BOX



Food and Pharmaceutical environment







Food and Pharmaceutical environment









Food and Pharmaceutical environment

WINOX WEIGHT INDICATOR WEIGHING AND BATCHING





Food and Pharmaceutical environment

TLM8 MULTICHANNEL WEIGHT TRANSMITTER

























PRODUCTS OVERVIEW





PRODUCTS OVERVIEW

WEIGHING ELECTRONICS



PRODUCTS OVERVIEW

WEIGHING ELECTRONICS









88

STOP TRINT MENU STOP



INSTRUMENT MANAGER SOFTWARE

O Manuale


HIGHLIGHTS






TECHNICAL WEBINAR

~=








VESSEL WEIGHING SOLUTIONS

V10275 MOUNTING KIT FOR COMPRESSION LOAD CELLS

HORIZONTAL CONSTRAINTS AGAINST LATERAL FORCES



ANTI-TILT

CONSTRAINT

INSTALLATION WITHOUT LOAD CELL

EASY LOAD CELL

REPLACEMENT

-



TFC-GP MOUNTING KIT FOR BENDING BEAM LOAD CELLS MISALIGNMENT COMPENSATION OF THE SUPPORT PLATES STRUCTURE

> CONSTRAINT AGAINST LATERAL FORCES AND ANTI-TILT

WEIGHING INSTRUMENTS

WLIGHT ABS WEIGHT INDICATOR THE SIMPLEST ONE





-te net time: Rent dute

WEIGHING INSTRUMENTS





Chemical Plant

SODIUM CARBONATE

LOAD

1500

2568 🔀 1358 1

FORMULA:

 OF
 Image: State of the stat

F6 F7 F8 F9 F0

F1)

F2 F3 F4 F5



....

LOAD CELL TRANSMITTERS





Modbus/TCP

PRINT

ESC

TARE

Carl Carl Carlos

TLM8 MODBUS/TCP

> MENU ENTER

3265

LOAD CELL TRANSMITTERS

TLM8 8 INDEPENDENT CHANNELS WEIGHT TRANSMITTER

DIGITAL JUNCTION BOX

CLM8 8 INDEPENDENT CHANNELS INTELLIGENT JUNCTION BOX





TARE



SERVICE

BUSIN

LOAD CELL DIGITIZER







PC CONFIGURATION SOFTWAR

428			Versione: 1.07.12 HV: 700 Anno: 17 SN: 4685 Programma: 13
NET >0< ><	W1 W2 W3	kg g	Versione dati ALL: Rev 1 PARAM: Rev 1 FORMULA: Rev 1 BATCHDATA: Rev 1
4	•	•	PC COM PORT: COM5: LCB 700174685 STATO COMUNICAZIONE: Connesso
BACKUP MEMORIA	AGGIORNA FIRMWARE	RIPRISTINA	IMPOSTAZIONI
ALL - Carica/Sc	arica l'intera memoria		
			ARICA LA MEMORIA DA FILI











PRQFT[®] BUS

<u>PROF</u>O[®] Net

CANopea

SERCOS *interface*

🚷 IO-Link

CC-Link CC-Link IE ANALOG

CONTACT THE LAUMAS-US TEAM

JOE HANCE

PH: 570-250-3724

EMAIL: joe.hance@laumas.it

WEB: <u>www.laumas-us.com</u>

LAUMAS[®] Innovation in Weighing



www.laumas.com



Thanks for your attention!